

```

graph LR
    linux_source([linux_source]) --> syslinux_config([syslinux_config])
    linux_source --> boot_kernel([boot_kernel])
    linux_source --> boot_msg_files([boot_msg_files])
    linux_source --> rootfs([rootfs])
    busybox_source([busybox_source]) --> busybox([busybox])
    busybox --> syslinux_config
    busybox --> boot_kernel
    busybox --> boot_msg_files
    busybox --> rootfs
    cardmgr([cardmgr]) --> boot_kernel
    cardmgr --> boot_msg_files
    cardmgr --> rootfs
    mke2fs([mke2fs]) --> rootfs
    dialog_source([dialog_source]) --> dialog([dialog])
    dialog --> syslinux_config
    dialog --> boot_kernel
    dialog --> boot_msg_files
    dialog --> rootfs
    uClibc_source([uClibc_source]) --> uClibc([uClibc])
    uClibc --> syslinux_config
    uClibc --> boot_kernel
    uClibc --> boot_msg_files
    uClibc --> rootfs
    download_devel_tar([download_devel_tar]) --> devel_tar[devel_tar]
    devel_tar --> syslinux_config
    devel_tar --> boot_kernel
    devel_tar --> boot_msg_files
    devel_tar --> rootfs
    syslinux_config --> syslinux([syslinux])
    boot_kernel --> syslinux
    boot_msg_files --> syslinux
    rootfs --> syslinux
    syslinux --> floppy([Create Slinky Boot Floppy])
  
```

